
REVISION HISTORY


	•		•		^		•
REVISION	DESCRIPTION	ECN#	DATE	REVISION	DESCRIPTION	ECN#	DATE
P2	VARIOUS SCHEMATIC CHANGES		10.24.94				
A0	RELEASE TO PRODUCTION, BOARD IS REV A		11.22.94	Ī			
A1	ADD R53 & R54. CHANGES C64 & C65	254	3.15.95				Ī
							1
							1
							1
							1
							1
			1				1
			•				1
							<u> </u>
•			†				†
•			†	<u> </u>			<u> </u>
•			•	•			†
			•	<u> </u>			<u> </u>
•			1	•			<u> </u>
			•	†			†
			•	•			†
			•	•			†
			•				†
•			•	+		_	•
•			•	+		+	•
<u> </u>			+	+		+	†
			—	+		+	+
<u> </u>		 	+	+		+	+
			+	+		+	+
		-	+	+			+
			—	+			+
+			 	+		+	—
-		 	+	+		+	+
-			—	+		+	+
		<u> </u>					


LINK
053238A1.001
053238A1.002
053238A1.003
053238A1.004
053238A1.005

dbx Pro	fessional Products					
	outh Sandy Parkway Utah 84070					
Title	dbx 3231L CH1 MAIN BOARD 80-32	238				
Size B	Document Number 053238A1.000					Rev A1
Date:	Monday, October 25, 1999	Sheet	0	of	5	



















053238a1

&10 (s0P (s15H (s8V (s0S &16D &166P &13E &a7L &a120M &161FD0D Software

Page 1

dbx 3231L CH1 MAIN BOARD 80-3238 Revised: March 15, 1995 053238A1.000 Revision: A1

Bill Of Materials March 15, 1995 9:23:37 Quan Reference Part SYMAN Description

~				-				
1	В1	BAR320301	32-0301	6 Posi	ition,	PC M	ount, Barr	ier Strip
1	BR1	BRDB102	70-0129	Bridge	Rec	tifer		
	C1,CD1,CD2,CD3,CD4,CD5, CD6,CD7,CD8,CD9,C10,CD10, CD11,CD12,CD13,CD14,CD15, CD16,CD17,CD18,CD19,C20, CD20,CD21,CD22,CD23,CD24, CD25,CD26,CD27,CD28,CD29, CD30,CD31	27PJC3	62-0066	_			20%	Axial Monolithic
2	C2,C6	10KT	62-0163	10 ບ	ıF Cap	1677	10%	Tantalum T&R
	C4,C5,C7,C8,C12,C13,C14, C15,C16,C17,C18,C19,C22, C23,C24,C26,C27,C28,C29, C30,C31,C32,C33,C34,C35, C36,C37,C38,C39,C50,C51, C52,C54,C55,C56,C60,C61, C62,C63,C68	.047мм3	62-0067	0.047 u				Axial Monolithic
2	C11,C21	47S63E	60-0301	47 u	ıF Cap	63V	-20/+80%	Elect
	C25	47SE1	60-0054-01		ıF Cap			Elect., T&R
	C64,C65	470M35E	60-0060		ıF Cap		-20/+20%	
	C66,C67	100S25E1	60-0055		ıF Car			Elect-D T&R
					ıF Car			
20	CA1,CB1,CA2,CB2,CA3,CB3, CA4,CB5,CA6,CB6,CB7,CA8, CB8,CA9,CA11,CB12,CA13, CB13,CB14,CA15	.39Н63Р	62-0152	.39 0	и Сар	030	36	Poly. Film
20	CA14, CB15, CA17, CB17, CA18, CB18, CA19, CB19, CA20, CA21, CB21, CB22, CA23, CB23, CB24, CA25, CB25, CA26, CA30, CB31	.039Н63Р	62-0151	.039 u	ıF Cap	63V	3%	Poly. Film PET
22	CA29, CB30, CA32, CB32, CA33, CB33, CA34, CB34, CA35, CB35, CA36, CB36, CA37, CB37, CA38, CB38, CA39, CB39, CA40, CB40, CA41, CB41	.0039H63P	62-0150	.0039 u	ıF Cap	63V	3%	Poly. Film PET
33	CC1,CC2,C3,CC3,CC4,CC5, CC6,CC7,CC8,CC9,CC10, CC11,CC12,CC13,CC14,CC15, CC16,CC17,CC18,CC19,CC20, CC21,CC22,CC23,CC24,CC25, CC26,CC27,CC28,CC29,CC30, CC31,C47	10NPSE1	60-0051-01	10 u	ıF Cap	16V	-20/+80%	Elect., NP T&R
7	D1,D2,D7,D8,D9,D10,D11	1N4148	70-0002	1N4148	Sil	icon	Switching	Diode, 75 Volts PIV
	D3	1N4001	70-0001	1N4001				1 Amp, 50 Volts PIV
	H1,H2,H3,H4,H7,H8	WT321164	32-1164					tor, 2mm Pitch
	H9,H10	HDR321071	32-1071					g, 0.025" sq pins Lockin
	H11	HDR322111	32-2111					.23", 0.1" spacing
	H12,H13	HDR321063	32-1063					g, 0.025" sq pins, 0.43" pins
1	HS1	HS704204	70-4204				ator, Top	
1	HS2	HS704203	70-4203	Heatsin	ık, 3	Regul	ator, U-Sh	ape Base
					D-	1		

Page 1

053238a1
INS704209 70-4209 Insulator, 3 Regulator Heatsink

		00020042
1 I1	INS704209 70-4209	Insulator, 3 Regulator Heatsink
2 J1,J4	J322110 32-2110	Jack, 1/4" Phone, PCB Mount, Hor., Cliff S2
1 J2	Ј322115 32-2115	XLR, Ins, Female PC Mount, R/A

DOD Software dbx 3231L CH1 MAIN BOARD 80-3238 Revised: March 15, 1995 053238A1.000 Revision: A1

Bill Of Materials March 15, 1995 9:23:37
Quan Reference Part SYMAN Description

Page

Quan	Reference	Part	SYMAN	Description
1	J3	J322114	32-2114	XLR, Ins, Male PC Mount, R/A
1	K1	RLY725143	72-5143	DPDT Relay Switch
6	L1,L2,L3,L4,L9,L10	EMI1000PF	62-2101	1000 pF Filter, EMI, SUPP, 50V
1	PCB1	80-3238-A	80-3238-A	dbx 3000 SERIES EQ MAIN PCB RAW
6	PJ1,PJ2,PJ3,PJ4,PJ5,PJ6	PJ		This is not a part.
4	Q1,Q2,Q3,Q5	J112	70-1012	J112A JFET, National Only
1	Q4	2N5088	70-1007	2N5088 NPN, T&R
1	Q11	2N6427	70-1150	2N6427 Darlington
2	R1,R2	49.9K 1%	52-0020	49.9 KOhm Resistor 1% 1/4 Watt Metal Film
4	R3,R8,R9,R14	13.3K 1%	52-0053	13.3 KOhm Resistor 1% 1/4 Watt Metal Film
4	R4,R7,R12,R15	4.42K 1%	52-0120	4.42 KOhm Resistor 1% 1/4 Watt Metal Film
4	R5,R6,R13,R16	1.00K 1%	52-0133	1.00 KOhm Resistor 1% 1/4 Watt Metal Film
1	R10	330	50-0005	330 Ohm Resistor 5% 1/4 Watt Carbon Film
1	R11	220K	50-0040	220 KOhm Resistor 5% 1/4 Watt Carbon Film
1	R17	200K 1%	52-0276	200 KOhm Resistor 1% 1/4 Watt Metal Film
1	R18	75K	50-0033	75 KOhm Resistor 5% 1/4 Watt Carbon Film
2	R38,R41	2.00K 1%	52-0186	2.00 KOhm Resistor 1% 1/4 Watt Metal Film
1	R39	2M	50-0046	2 MOhm Resistor 5% 1/4 Watt Carbon Film
1	R40	340K 1%	52-0254	340 KOhm Resistor 1% 1/4 Watt Metal Film
1	R52	0	50-0050	O Ohm Resistor 5% 1/4 Watt Carbon Film
2	R53,R54	15 1W	50-1153	15 Ohm Resistor 5% 1 Watt MOF Flameproof
3	RA1,RA14,RA24	100K 1%	52-0305	100 KOhm Resistor 1% 1/4 Watt Metal Film
3	RA2,RA17,RA27	78.7K 1%	52-0071	78.7 KOhm Resistor 1% 1/4 Watt Metal Film
3	RA3,RA10,RA20	121K 1%	52-0297	121 KOhm Resistor 1% 1/4 Watt Metal Film
3	RA4,RA12,RA22	39.2K 1%	52-0079	39.2 KOhm Resistor 1% 1/4 Watt Metal Film
3	RA5,RA13,RA23	61.9K 1%	52-0072	61.9 KOhm Resistor 1% 1/4 Watt Metal Film
3	RA6,RA15,RA25	30.1K 1%	52-0083	30.1 KOhm Resistor 1% 1/4 Watt Metal Film
3	RA7,RA16,RA26	48.7K 1%	52-0076	48.7 KOhm Resistor 1% 1/4 Watt Metal Film
3	RA8,RA18,RA28	15.4K 1%	52-0096	15.4 KOhm Resistor 1% 1/4 Watt Metal Film
3	RA9,RA19,RA29	24.3K 1%	52-0086	24.3 KOhm Resistor 1% 1/4 Watt Metal Film
3	RA11,RA21,RA31	19.6K 1%	52-0092	19.6 KOhm Resistor 1% 1/4 Watt Metal Film
1	RA30	12.1K 1%	52-0103	12.1 KOhm Resistor 1% 1/4 Watt Metal Film
3	RB1,RB14,RB24	23.2K 1%	52-0087	23.2 KOhm Resistor 1% 1/4 Watt Metal Film
3	RB2,RB17,RB27	18.2K 1%	52-0093	18.2 KOhm Resistor 1% 1/4 Watt Metal Film
3	RB3,RB10,RB20	28.7K 1%	52-0084	28.7 KOhm Resistor 1% 1/4 Watt Metal Film
3	RB4,RB12,RB22	9.09K 1%	52-0109	9.09 KOhm Resistor 1% 1/4 Watt Metal Film
3	RB5,RB13,RB23	14.3K 1%	52-0099	14.3 KOhm Resistor 1% 1/4 Watt Metal Film
3	RB6, RB15, RB25	7.15K 1%	52-0113	7.15 KOhm Resistor 1% 1/4 Watt Metal Film
3	RB7,RB16,RB26	11.5K 1%	52-0104	11.5 KOhm Resistor 1% 1/4 Watt Metal Film
3	RB8, RB18, RB28	3.65K 1%	52-0122	3.65 KOhm Resistor 1% 1/4 Watt Metal Film
3	RB9,RB19,RB29	5.76K 1%	52-0116	5.76 KOhm Resistor 1% 1/4 Watt Metal Film
3	RB11,RB21,RB31	4.64K 1%	52-0118	4.64 KOhm Resistor 1% 1/4 Watt Metal Film
1	RB30	2.87K 1%	52-0126	2.87 KOhm Resistor 1% 1/4 Watt Metal Film
3	RC1,RC14,RC24	13.0K 1%	52-0101	13.0 KOhm Resistor 1% 1/4 Watt Metal Film
3	RC2,RC17,RC27	10.2K 1%	52-0106	10.2 KOhm Resistor 1% 1/4 Watt Metal Film
3	RC3,RC10,RC20	16.2K 1%	52-0095	16.2 KOhm Resistor 1% 1/4 Watt Metal Film
3	RC4,RC12,RC22	5.11K 1%	52-0117	5.11 KOhm Resistor 1% 1/4 Watt Metal Film
-	- ,,			Para 0

Page 2

053238a1

3 3 3 DOD dbx 0532 Bill	RC5,RC13,RC23 RC6,RC15,RC25 RC7,RC16,RC26 RC8,RC18,RC28 RC9,RC19,RC29 Software 3231L CH1 MAIN BOARD 80-3 38A1.000 Of Materials Reference	8.06K 1% 4.02K 1% 6.49K 1% 2.05K 1% 3.24K 1% 238 March 15, Part	52-0111 52-0121 52-0114 52-0129 52-0124 Revised: Revision 1995 9:2 SYMAN	4.02 KOhm Resistor 6.49 KOhm Resistor 2.05 KOhm Resistor 3.24 KOhm Resistor March 15, 1995	1% 1/4 Watt Metal Film	Page
1	RC11,RC21,RC31 RC30 RD1,RE1,RD2,RE2,RD3,RE3, RD4,RE4,RD5,RE5,RD6,RE6, RD7,RE7,RD8,RE8,RD9,RE9, RD10,RE10,RD11,RE11,RD12, RE12,RD13,RE13,RD14,RE14, RD15,RE15,RD16,RE16,RD17, RE17,RD18,RE18,RD19,RE19, RD20,RE20,RD21,RE21,RD22, RE22,RD23,RE23,RD24,RE24, RD25,RE25,RD26,RE26,RD27, RE27,RD28,RE28,RD29,RE29, RD30,RE30,RD31,RE31,R36, R37	2.61K 1% 1.62K 1% 10.0K 1%	52-0127 52-0131 52-0107	1.62 KOhm Resistor	1% 1/4 Watt Metal Film 1% 1/4 Watt Metal Film 1% 1/4 Watt Metal Film	
2 2 2 1 17	S4,S5 SR1,SR2 SR3,SR4 SW1 U1,U2,U3,U6,U7,U8,U9,U10, U11,U12,U13,U14,U17,U18, U19,U21,U22	DIP8S SR280058 SR280059 SW440131 MC33078	70-3020 28-0058 28-0059 44-0131 72-4248	8 Pin Dip Socket Screw, 6-32 x 3/8", Screw, 6-32 x 1/4", 4PDT Slide Switch, Dual OP-AMP	Pozi-pan, Black	
1	U4 U5 U23 U24 WA1,WA4	SSM2141 SSM2142 7915 7815 WA283449	72-4256 72-4252 70-4124 70-4123 28-3449	7815 +15 Volt 1 A		